Page 2

Amendments to the Claims:

1-5 (canceled)

6. (currently amended) A process for cutting at least one optical fiber, the process comprising the steps of:

introducing a glass fiber into a holding and positioning device;

actuating a laser device to deliver a beam having a power suitable for sublimating glass; and

effecting the relative movement of said beam across said glass fiber along a path, thereby sublimating glass and cutting said glass fiber along said path, said path having at least one predetermined angle is greater than about 15°.

- 7. (original) The process according to claim 6, wherein said predetermined angle is about 45°.
- 8. (cancelled)
- 9. (previously presented) A process for cutting at least one optical fiber, the process comprising the steps of:

introducing a glass fiber into a holding and positioning device;

actuating a laser device to deliver a beam having a power suitable for sublimating glass; and

- effecting the relative movement of said beam across said glass fiber along a path comprising two predetermined angles, thereby sublimating glass and cutting said glass fiber along said path to shape a wedge on the end face of the fiber.
- 10. (previously presented) A process for cutting at least one optical fiber, the process comprising the steps of:

Page 3

introducing a glass fiber into a holding and positioning device;

actuating a laser device to deliver a beam having a power suitable for sublimating glass; and

effecting the relative movement of said beam across said glass fiber along a curved path, thereby sublimating glass and cutting said glass fiber along said path.

11. (previously presented) A process for cutting at least one optical fiber, the process comprising the steps of:

introducing a glass fiber into a holding and positioning device;

actuating a laser device to deliver a beam having a power suitable for sublimating glass; and

effecting the relative movement of said beam across said glass fiber along a path having-a predetermined angle, thereby sublimating glass and cutting said glass fiber along said path, said predetermined angle being is repeatable within less than +/- 0.5° at the core region.

12. (previously presented) A process for cutting at least one optical fiber, the process comprising the steps of:

introducing a glass fiber into a holding and positioning device;

actuating a laser device to deliver a beam having a power suitable for sublimating glass; and

effecting the relative movement of said beam across said glass fiber along a path having a predetermined angle, thereby sublimating glass and cutting said glass fiber along said path, said-predetermined angle being within about +/- 10 µm of a reference surface along the optical axis of said glass fiber.

13. (previously presented) The process according to claim 9, wherein said beam is a continuation wave.

Page 4

- 14. (previously presented) The process according to claim 9, wherein said beam is a pulsed.
- 15. (previously presented) The process according to claim 9, wherein the laser is a CO₂ laser.
- 16-17 (cancelled)
- 18. (original) A fiber prepared in accordance with the process of claim 9.
- 19. (previously presented) A fiber obtainable by introducing a glass fiber into a holding and positioning device; actuating a laser device to deliver a beam having a power suitable for sublimating glass; and effecting the relative movement of said beam across said glass fiber along a path, thereby sublimating glass and cutting said glass fiber along said path; wherein said fiber comprises an end face at least a portion of which is angled at more than about 15° from perpendicular of the optical axis of said fiber.
- 20. (previously presented) The fiber of claim 19, comprising an end face having a rounded edge.
- 21. (previously amended) The fiber of claim 20, wherein said fiber is integrated with an optical package and positioned within said optical package in a v-groove
- 22-23 (cancelled)
- 24. (previously presented) The fiber according to claim 19, wherein said predetermined angle is about 45°.

Page 5

25. (previously presented) The process of claim 19, wherein said relative movement of said fiber to said laser beam is effected in one of two ways, a first way in which the fiber moves and the laser beam remains stationary, and a second way in which the laser beam moves and the fiber remains stationary